

RELEASED
05/08/18



1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR PER AMS/QQ/A/200/8 (OR AMS 4160)
(REF. DART SPEC. M6061T6B)

2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT PAINT GREEN SANDTEX (4.3.5.8) PER DART QSI 005 4.3

3) MASK BEFORE PAINTING.

4) DRILL HOLE AT ASSEMBLY.





5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


6) ALL DIMENSIONS ARE IN INCHES

7) BREAK ALL SHARP EDGES 0.005 TO 0.010

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN 	DRAWN BY 	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED 	APPROVED 	DRAWING NO. D3440	REV. A SHEET 2 OF 7
DATE 05.06.02		TITLE BLADE FOLD KIT PARTS	SCALE 1:1

**D3440-3 CLAMP****SUPERSEDES PREMIER P/N B67-43001-309****NOTES:**

- 1) MATERIAL: 6061-T6 (OR 6061-/651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR PER AMS/QQ/A/200/8 (OR AMS 4160)
(REF. DART SPEC. M6061T6B)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT PAINT GREEN SANDTEX (4.3.5.8) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010


COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3440	REV. A SHEET 3 OF 7
DATE 05.06.02		TITLE BLADE FOLD KIT PARTS	SCALE 1:1

RELEASED
[Signature]
05/08/18



D3440-5 CONTOURED DETENT CLIP BASE
SUPERSEDES PREMIER P/N B67-43001-217

NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-/651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR PER AMS/QQ/A/200/8 (OR AMS 4160)
(REF. DART SPEC. M6061T6B)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010



COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DART

DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3440	REV. A SHEET 4 OF 7
DATE 05.06.02		TITLE BLADE FOLD KIT PARTS	SCALE 1:1

RELEASED
[Signature]
05/08/18



SECTION A-A



D3440-7 DETENT CLIP BASE
SUPERSEDES PREMIER P/N B67-43001-221

NOTES:


- 1) MATERIAL: 6061-T6 (OR 6061-/651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR PER AMS/QQ/A/200/8 (OR AMS 4160)
(REF. DART SPEC. M6061T6B)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


DART

DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3440	REV. A SHEET 5 OF 7
DATE 05.06.02		TITLE BLADE FOLD KIT PARTS	SCALE 1:1



D3440-9 TUBE DETENT CLIP BASE
SUPERSEDES PREMIER P/N B67-43001-241

- 1) MATERIAL: 6061-T6 (OR 6061-/651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR PER AMS/QQ/A/200/8 (OR AMS 4160)
(REF. DART SPEC. M6061T6B)



D3440-11 GUSSET

- 1) MATERIAL: 6061-T6 (OR 6061-T62) ALUMINUM SHEET
PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027
(REF. DART SPEC. M6061T6S.250)

NOTES:


- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
3) ALL DIMENSIONS ARE IN INCHES
4) BREAK ALL SHARP EDGES 0.005 TO 0.010

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART


DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3440	REV. A SHEET 6 OF 7
DATE 05.06.02		TITLE BLADE FOLD KIT PARTS	SCALE 1:1



D3440-13 BRACKET
SUPERSEDES PREMIER P/N B67-43001-273

NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-/651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR PER AMS/QQ/A/200/8 (OR AMS 4160)
(REF. DART SPEC. M6061T6B)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010



DETAIL B
SCALE 2 : 1

COPYRIGHT © 2005 BY DART AEROSPACE LTD.





THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3440	REV. A SHEET 7 OF 7
DATE 05.06.02		TITLE BLADE FOLD KIT PARTS	SCALE 1:1

RELEASED
[Signature]
05/08/18

R0.13
(4 PLACES)



**D3440-15 CONTOURED MALE EYE
SUPERSEDES PREMIER P/N B67-43001-215**

NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4160)
(REF. DART SPEC. M6061T6B)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.